



ELSEVIER

Discrete Mathematics 212 (2000) 271–272

DISCRETE
MATHEMATICS

www.elsevier.com/locate/disc

Author index to volume 212 (2000)

- Babson, E.K. and C.S. Chan, Counting faces of cubical spheres modulo two (3) 169–183
- Bode, J.-P. and H. Harborth, Hexagonal polyomino achievement (1–2) 5– 18
- Borowiecki, M., I. Broere and P. Mihók, Minimal reducible bounds for planar graphs (1–2) 19– 27
- Broere, I., see M. Borowiecki (1–2) 19– 27
- Caporossi, G. and P. Hansen, Variable neighborhood search for extremal graphs (1–2) 29– 44
- Ceulemans, A., see P.W. Fowler (1–2) 75– 90
- Chan, C.S., see E.K. Babson (3) 169–183
- Chia, G.L., On self-clique graphs with given clique sizes (3) 185–189
- Chibotaru, L.F., see P.W. Fowler (1–2) 75– 90
- Choi, S., Counting lattice paths in restricted planes (3) 191–198
- Cvetković, D., On the reconstruction of the characteristic polynomial of a graph (1–2) 45– 52
- Deuber, W.A. and A.V. Kostochka, On degrees of vertices in paradoxical trees (1–2) 53– 59
- Fabrics, I., E. Hexel, S. Jendrol' and H. Walther, On vertex-degree restricted paths in polyhedral graphs (1–2) 61– 73
- Fowler, P.W., A. Ceulemans and L.F. Chibotaru, Eigenvalues of Hückel systems of equivalent points (1–2) 75– 90
- Gregory, D.A., see J. Shen (3) 245–255
- Guo, Y., M. Tewes, L. Volkmann and A. Yeo, Sufficient conditions for semicomplete multipartite digraphs to be Hamiltonian (1–2) 91–100
- Hansen, P., see G. Caporossi (1–2) 29– 44
- Harborth, H., see J.-P. Bode (1–2) 5– 18
- Hexel, E., see I. Fabrics (1–2) 61– 73
- Hornák, M. and S. Jendrol', On vertex types and cyclic colourings of 3-connected plane graphs (1–2) 101–109
- Jendrol', S., see I. Fabrics (1–2) 61– 73
- Jendrol', S. and H.-J. Voss, A local property of polyhedral maps on compact two-dimensional manifolds (1–2) 111–120
- Jendrol', S., see M. Hornák (1–2) 101–109
- Kang, Q.-d. and Z. Tian, Large sets of oriented triple systems with resolvability (3) 199–221
- Kostochka, A.V., see W.A. Deuber (1–2) 53– 59
- Li, J.-S. and Z.-X. Song, An extremal problem on the potentially P_k -graphic sequences (3) 223–231
- Liu, Q.Z. and H.P. Yap, Edge colorings of K_{2n} with a prescribed condition — I (3) 233–244
- Marczyk, A. and G. Schaar, On traceable powers of digraphs (1–2) 121–128
- Meszka, M. and Z. Skupień, On some third parts of nearly complete digraphs (1–2) 129–139
- Mihók, P., see M. Borowiecki (1–2) 19– 27
- Rubinstein, J.H., see J.F. Weng (3) 257–260
- Schaar, G., see A. Marczyk (1–2) 121–128
- Schiermeyer, I., Zs. Tuza and M. Voigt, On-line rankings of graphs (1–2) 141–147
- Shen, J. and D.A. Gregory, Exponents of vertex-transitive digraphs (3) 245–255
- Skupień, Z., see M. Meszka (1–2) 129–139
- Song, Z.-X. see J.-S. Li (3) 223–231
- Tewes, M., see Y. Guo (1–2) 91–100
- Tian, Z., see Q.-d. Kang (3) 199–221

- Topp, J. and P.D. Vestergaard, α_k - and γ_k -stable graphs (1-2) 149-160
- Tuza, Zs., see I. Schiermeyer (1-2) 141-147
- Vestergaard, P.D., see J. Topp (1-2) 149-160
- Voigt, M., see I. Schiermeyer (1-2) 141-147
- Volkman, L., see Y. Guo (1-2) 91-100
- Voss, H.-J., see S. Jendrol' (1-2) 111-120
- Walther, H., see I. Fabrici (1-2) 61- 73
- Weng, J.F. and J.H. Rubinstein, A note on the compression theorem for convex surfaces (3) 257-260
- Wessel, W., A short solution of Heawood's empire problem on the torus and implications for higher genus (1-2) 161-165
- Yap, H.P., see Q.Z. Liu (3) 233-244
- Yeo, A., see Y. Guo (1-2) 91-100
- Zhang, F., see H. Zhang (3) 261-269
- Zhang, H. and F. Zhang, The Clar covering polynomial of hexagonal systems III (3) 261-269

